

DO NOT ACCEPT COPIES, BUT GO FOR THE ORIGINAL ONLY. ALUMINIUM RE

REMOVABLE STANCHIONS POLYPROPYLENE ROPE Ø16MM CROSS BARS NONSLIP CHECKERED PLATE LIFTING LUGS -Minimum and maximum angle of use 0° -30° degrees -Safe working load 400 kg/ m^2 =2400 kg B - Stanchion Socket Detail A Produced in Europe





Title	Gangway/wharf ladder	10x600	Approval	RMRS according:	ISO 7061	:1993 MSC.1/Circ	/1331
Drawing	TCA 10x600		Components	1 Ladder body/18	Rem.stanc	hions with ropes.	/1 Ste
				WICKIN AS TO	Weight:	235 kg	
				E CONTRACTOR OF THE PARTY OF TH	Date:	1-Jul-2019	

Material:



Producer: PTR HOLLAND GROUP



SEAWATER RESISTANT ALUMINIUM

1:15		
. /		
Size: A4		
Units: mm		
⊃age: 1/1		
1/1		
ſ		

with rones /1 Steel Share Roller

Property of PTR HOLLAND® GROUP. Reproduction, or disclosure to third parties, in any form whatsoever is not allowed without written consent of the proprietors.